

**Area 3 - North Central
HMAZ - Tarrant**

Tab 7 – Intervention Selection Form

Subpopulation: IDU men AA

Ranking: 1

Name of Intervention	Turning Point FS-9
Risk Behavior(s)	Injecting drug use Unprotected sex
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Peer pressure • Cultural Norms • Low perceived susceptibility • Limited social support • Poor communication skills
Intended Immediate Outcomes	Increase risk perception Increase safe needle practice Increase intent to use condoms
Type	GLI
Setting	Varies
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Intervention can be used in various settings. Addresses both sex and needle sharing behaviors.

**Area 3 - North Central
HMAZ - Tarrant**

Tab 7 – Intervention Selection Form

Subpopulation: IDU men AA

Ranking: 1

Name of Intervention	The NIDA Community-Based Outreach Model
Risk Behavior(s)	Injecting drug use Unprotected sex Multiple partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Cultural Norms • Low perceived susceptibility. • Limited access to condoms • Poor attitude toward condom use
Intended Immediate Outcomes	Increase access to services Increase access to condoms
Type	CLI
Setting	Places where the population congregate
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	A component of the intervention uses outreach venues and utilizes peer educators. This approach will increase the population's access to services.

Area 3 - North Central
HMAZ - Tarrant
 Tab 7 – Intervention Selection Form

Subpopulation: IDU men AA

Ranking: 1

Name of Intervention	AIDS Drug Injection Prevention C-3
Risk Behavior(s)	Unprotected sex Injecting drug use
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Poor attitudes toward condom use • Sex while under the influence • Cultural norms promoting drug use
Intended Immediate Outcomes	Increase risk perception Increase access to treatment centers
Type	GLI
Setting	Community storefront
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Addresses both sexual and drug behaviors. Attempts to link clients to treatment centers.

Area 3 - North Central
HMAZ - Tarrant
 Tab 7 – Intervention Selection Form

Subpopulation: IDU men AA

Ranking: 1

Name of Intervention	AIDS Education for Drug Users
Risk Behavior(s)	Unprotected sex Injecting drug use
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Poor attitudes toward condom use • Poor knowledge about HIV/STD • Poor negotiation safety
Intended Immediate Outcomes	Increase intent to use condoms Increase use of harm reduction behaviors regarding injecting drug use
Type	GLI
Setting	Inpatient detox/rehab center
Is this intervention currently being provided in your planning area?	No
Rationale for Selecting this Intervention:	Addresses HIV knowledge and attitudes toward condom use.

Area 3 - North Central
HMAZ - Tarrant
 Tab 7 – Intervention Selection Form

Subpopulation: IDU men AA

Ranking: 1

Name of Intervention	Intensive AIDS Education in Jail C-5
Risk Behavior(s)	Unprotected sex Multiple partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Poor knowledge about HIV/STD • Poor negotiation skills • Substance use
Intended Immediate Outcomes	Increase knowledge of HIV/STD Improve communication skills
Type	GLI
Setting	Detention centers for adolescents
Is this intervention currently being provided in your planning area?	no
Rationale for Selecting this Intervention:	Target incarcerated youth. Aims at increasing HIV knowledge

Area 3 - North Central
HMAZ - Tarrant
 Tab 7 – Intervention Selection Form

Subpopulation: IDU men AA

Ranking: 1

Name of Intervention	Needle exchange
Risk Behavior(s)	Unsafe needle practices
Influencing Factor(s) or FIBs	Poor access to clean needles.
Intended Immediate Outcomes	Increase use of clean needles
Type	ILI
Setting	Varies
Is this intervention currently being provided in your planning area?	limited
Rationale for Selecting this Intervention:	Several programs have been proven effective at reducing HIV transmission through needle exchange.

**Area 3 - North Central
HMAZ - Tarrant**

Tab 7 – Intervention Selection Form

Subpopulation: IDU men AA

Ranking: 1

Name of Intervention	HIV testing (Mobile/ Outreach) STD testing (Including Hep C) (Mobile/ outreach)
Risk Behavior(s)	Injecting drug use Unprotected sex Multiple partners
Influencing Factor(s) or FIBs	<ul style="list-style-type: none"> • Low perceived susceptibility • Poor knowledge about HIV
Intended Immediate Outcomes	Increase access to testing Increase knowledge of serostatus and/or STD infection status Develop a risk reduction plan Increase access to needed diagnosis and treatment
Type	other
Setting	Non-traditional test sites
Is this intervention currently being provided in your planning area?	yes
Rationale for Selecting this Intervention:	Increase access to HIV testing among this population. High STD morbidity among this population.